

Date: Thursday, 17/04/2008 7:42:48 AM
 User: Linda Lacelle

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: STEP SPACER
Job Number	: 38650B		
Estimate Number	: 10378		
P.O. Number	:	Part Number	: D30653
This Issue	: 17/04/2008 S.O. No. :	Drawing Number	: D3065 REV. B
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: / / Type : SMALL /MED FAB	Drawing Revision	: B
Previous Run	: 38348	Material	:
Written By	: <u>4</u>	Due Date	: 06/05/2008 Qty: 100 Um: Each
Checked & Approved By	: <u>4</u>		
Comment	: Est:C 02.11.01 Incorporated D3066-1 IPP KJ/RF Est Rev:D Now on Water Jet 06-04-11 JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M2024T3S040	2024-T3 .040 sheet
-----	-------------	--------------------



Comment: Qty.: 0.2287 sf(s)/Unit Total: 22.8690 sf(s)
 Material: 2024-T3 (QQ-A-250/4) 0.040" thick
 (M2024T3S.040) Batch: _____

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET
 1-Cut as per Dwg D
 Dwg Rev: _____
 Prog Rev: _____

formed @ GFI
issue 7/0 2/6/64
as per dwg D3065REV.B

(100) C208/04/17

2-Deburr if necessary

3.0	Q02	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

rec'd + inspect for transit damage
ensure c+c attached

4.0	Q08	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

QSP017 500/0129
inspect level 5

(100) count

5.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



Comment: SMALL & MEDIUM FAB RESOURCE 1
 Deburr Stack

WLA 500/0129

Receive and inspect for transit damage.

QSP017

(100)

Date: Thursday, 17/04/2008 7:42:48 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: STEP SPACER

Job Number: 38650B

Part Number: D30653

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

BRAKE NC

NC BRAKE



Comment: NC BRAKE

Bend as per Dwg D3065

u/A Soderstrom

7.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

S 08/05/29 x100 counter

8.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

RP/BL 08-06-03 100

9.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT CHEMICAL CONVERSION COAT

12/8/3 (100)

10.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *spark*

12/6/3 (100)

11.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/06/04


Job Completion



MF 08-06-04

DART

DESIGN <i>CP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3065	REV. B SHEET 3 OF 5
DATE 06.05.23		TITLE STEP LEG ASSEMBLY	SCALE 1:1




FLANGE AFTER TOWARDS SIDE
SHOWN USING DT8174 (3 PLACES)

Ø 0.129 (TYP, 12 PLACES)

RELEASED

06.05.20 *[Signature]*



D3065-3 STEP SPACER

- 1) MATERIAL: 2024-T3 (QQ-A-250/4)
0.040 THICK (REF DART SPEC. M2024T3S.040)
- 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1
- 3) PART IS SYMMETRIC ABOUT CENTERLINE
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

COPYRIGHT © 2002 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

0208/04/17
010138650B



180 AVENUE LABROSSE
POINTE-CLAIRE, QUÉ., CANADA H9R 1A1
TÉL.: (514) 630-4877 - FAX: (514) 630-4849

GFI est une division de Thomas & Betts Fabrication Inc. / GFI is a division of Thomas & Betts Manufacturing Inc.

VLNDU À / SOLD TO

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON, K6A 1K7



BON DE LIVRAISON - SHIPPING MEMO

DATE DE LIVRAISON SHIPPING DATE	N° BON DE LIVRAISON SHIPPING MEMO NO.
2008/05/26	0394532

EXPÉDIÉ À / SHIPPED TO

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON, K6A 1K7

CODE DE CLIENT CUSTOMER CODE		N° DE CONTRAT JOB NO.	N° COMMANDE PO NO.	VIA SHIP VIA
DART GFI-0299		J0183449	PO00006164	
QUANTITÉ QUANTITY	VOTRE N° DE PIÈCE YOUR PART NO.	DESCRIPTION		
100	D30653	STEP SPACER CERTIFICATE OF CONFORMANCE REQ		

TOUTES LES RÉCLAMATIONS DOIVENT ÊTRE FAITES EN DEDANS DE 5 JOURS DE LA RÉCEPTION
ALL CLAIMS MUST BE MADE WITHIN 5 DAYS OF RECEIPT OF GOODS.

RECU PAR / RECEIVED BY

CERTIFICATE OF COMPLIANCE CERTIFICAT DE CONFORMITE



Membrane de / A Member of **Thomas&Betts**

180 LABROSSE AVENUE
POINTE CLAIRE, QC
H9R 1A1

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7

CERTIFICATE NO. 3 OUR JOB NO. J0183449 SHIPPING MEMO 0394532

ITEM	QUANTITY	PURCHASE ORDER	PART NUMBER	REV	NAME	DWG ISSUE
	<u>100 PCS</u>	<u>PO00006164</u>	<u>D30653</u>	<u>B</u>	<u>STEP SPACER</u>	<u>B</u>
MATERIAL		SUPPLIED BY			MAT. REL. NO.	
<u>AL 2024-T3 (QQ-A-250/4)</u>		<u>SAMUEL / KAISER ALUMINUM</u>			<u>411944A2</u>	

	PROCESS	PROCESSOR	RELEASE NOTE #
1	<u>FIRST ARTICLE INSPECTION REPORT ON FILE</u>	<u>GFI</u>	<u>CONFORMS</u>
2			
3			
4			
5			
6			
7			
8			
9			

WE HEREBY CERTIFY ALL THE PARTS COVERED BY THIS CERTIFICATE HAVE BEEN MANUFACTURED FROM MATERIAL SUPPLIED ON RELEASE NOTE SHOWN ABOVE AND THAT ALL PARTS HAVE BEEN INDIVIDUALLY INSPECTED AND CONFORM TO THE DRAWINGS AND PURCHASE ORDER REFERENCED ABOVE.

DATE 27 MAY 2008

G.F.I. Q.C. REP. Galtan





Programme d'Assurance Qualité Enregistré / Registered Q.A. Program
ISO 9001:2000 AS9100

LETTRE DE CONFORMITÉ –LETTER OF COMPLIANCE

Date: 15 MAI 2008

Company Name: G.F.I. Division of Thomas & Betts limited
Address: 180 avenue Labrosse
City: Pointe Claire, Qué.
Zip Code: H9R 1A1

du client: 73618
Customer's order #:

de commande SSMQ: 880728
SSMQ's Order #:


La présente est pour certifier que le matériel détaillé ci-dessous est conforme aux exigences de votre commande et des normes du grade tel que décrit:

The following is to certify that the material listed below meets your order requirements and grade standards as described:

Notre/Our Item #	# de pièces/ # of pieces	Épaisseur/Grandeur Guage/Size	Alliage/Trempe Alloy/Temper	Spécification / Specification	Lot/Heat
1	2	.040" X 48" X 144"	2024 T3	AMS-QQ-A-250/4	411944A2

**Bien à vous,
Yours truly,**





**Commis à l'administration.
Administration Clerk.**

SHIP TO: SAMUEL MISSISSAUGA 2360 DIXIE ROAD MISSISSAUGA, ON, CA L4Y1Z7
SOLD TO: SAMUEL LAVAL 2225 FRANCIS HUGHES LAVAL, PQ, CA H7S1N5

**KAISER
ALUMINUM**
 Trentwood Works - Spokane, WA 99215
 Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4112280

BL 101120

CUSTOMER PO NUMBER: N20349		WORK PACKAGE:		CUSTOMER PART NUMBER:		SRP RUN/LOAD ID: 101120/8		GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1058202	LINE ITEM: 2	SHIP DATE: 1-NOV-2007	ALLOY: 2024	CLAD: BARE	TEMPER: T3	PRODUCT DESCRIPTION: MILL FINISH COIL			
WEIGHT SHIPPED: 4442 LB	QUANTITY: 1 PCS EST.	B/L NUMBER: 2015028	GAUGE: 0.0400 IN		WIDTH: 48.000 IN	LENGTH: 0.000 IN			

Certified Specifications

AMS 4037/RevN
CMMP 019/RevD

AMS-QQ-A-250/4/RevA
CMMP 025/RevR

ASTM B 209/Rev06

Test Code: 1504

Test Results

Lot: 411944A2 Cast 398 Drop 18 Ingot 2

(ASTM E8/B557)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T3	LT / 2 (Min:Max)	68.1 : 68.1 (470 : 470)	46.8 : 47.0 (323 : 324)	17.9 : 18.3

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.29	4.5	0.60	1.4	0.02	0.12	0.02	0.01	0.00	TOT 0.04

ALLOY LIMITS

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
2024 MIN	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	0.00	EACH	0.05
MAX	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.05	TOT	0.15

Aluminum Remainder

CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED AND MANUFACTURED IN THE U.S.A. AND HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT-TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS ARE ON FILE, SUBJECT TO EXAMINATION. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULANT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED

BILL POYNOR, LABORATORIES SUPERVISOR

Bill Poyner